

## Overview

Cooling of mission Critical IT equipments is very important and critical. Real challenge will be in the place where room is not air conditioned OR only comfort AC Installed and creating the AC for room will be very expensive and most of the time this may not required and not possible, typical examples are will be Ware-House, Shop-Floor, Cafeterias and So On.


To meet this challenge, NetRack offer 0.7 KW to 7 KW Panel Mount AC systems can be mounted on side panel or Front & Back Doors. Based on the site requirement and conditions the position of AC can be configured. Interestingly we can mount AC from XXU to 42U preferably on floor mount but 600 Watt Panel AC can be mounted on wall mount also.




## Specifications

Cooling Capacity	0.7 KW to 7KW
Rated Temperature	28 Deg C
Temperature Stability	2 Deg C
Operating Ambient Temperature	10 - 50 Deg C
Refrigerant	R 134a

Panel Mount AC Airflow Management



Panel Mount AC Configurator Drawing with Critical Parts



## Features

- Enclosure will be IP50 protected and IT equipment's are protected against Dust
- Complete AC unit outside enclosure will ease the installation & maintenance
- Digital Display for quick review
- Eco-friendly refrigerant, R134a
- CE certified
- Simple implementation through an integrated design
- Easy to Operate and maintain

Model Matrix & Dimensions			
Cooling Capacity	H	W	D
0.7 KW	550	300	250
1 KW	700	350	275
0.7 KW	950	335	215
2.3 KW	1400	400	275
3.4 KW	1400	400	275
7 KW	1550	500	400

Note: Dimension are in MM

